

Spesolimab-sbzo (Spevigo)

Provider Order Form

Date: _____

PATIENT INFORMATION

Name:	DOB:	SEX: M ☐ F ☐
ICD-10 code (required):	ICD-10 description:	
☐ NKDA Allergies:	Weight lbs/kg:	

REFERRAL STATUS

☐ New Referral ☐ Referral Renewal ☐ Medication/Order Change ☐ Benefits Verification Only ☐ Discontinuation Order

PHYSICIAN INFORMATION

Referral Coordinator Name:	Referral Coordinator Email:
Ordering Provider:	Provider NPI:
Referring Practice Name:	Phone: Fax:
Practice Address:	City: State: Zip Code:

LABORATORY ORDERS

- ☐ CBC ☐ at each dose ☐ every _____
☐ CMP ☐ at each dose ☐ every _____
☐ CRP ☐ at each dose ☐ every _____
☐ Other: _____

PRE-MEDICATION ORDERS

- ☐ acetaminophen (Tylenol) ☐ 500mg / ☐ 650mg / ☐ 1000mg PO
☐ cetirizine (Zyrtec) 10mg PO
☐ loratadine (Claritin) 10mg PO
☐ diphenhydramine (Benadryl) ☐ 25mg / ☐ 50mg ☐ PO / ☐ IV
☐ methylprednisolone (Solu-Medrol) ☐ 40mg / ☐ 125mg IV
☐ hydrocortisone (Solu-Cortef) ☐ 100mg IV
☐ Other: _____
☐ Dose: _____ Route: _____
☐ Frequency: _____

THERAPY ADMINISTRATION

- ☐ Spesolimab-sbzo (Spevigo) in 100ml 0.9% sodium chloride,
 • Dose: 900mg
 • Frequency: one time infusion
 • Route: intravenous
 • Infuse over 90 minutes

Select for an additional 900mg dose to be given one week after the initial dose. Subsequent treatments may require additional insurance authorization.

Flush with 0.9% sodium chloride at infusion completion
 Refills: Zero, one-time order. (If additional treatments are needed, please submit a new order form.)T

SPECIAL INSTRUCTIONS

NOTES/ADDITIONAL COMMENTS:

ORDERING PROVIDER

Signature **X** _____ Date _____

Provider _____ Phone _____ Fax _____