Borough Park
1428 36th Street
Suite 107
Brooklyn, NY 11218

Forest Hills
64-05 Yellowstone Blvd
CF104
Forest Hills, NY 11375

Sheepshead Bay
2546 East 17th Street
Fl, 1
Brooklyn, NY 11235

Long Island City
36-36 33rd
Suite 311
Long Island City, NY 11106

Bronx
226 West 238th Street
Bronx, NY 10463

Massapequa
97 Grand Avenue
Massapequa, NY 11758

NYC

E 56th & Park Midtown
120 East 56 Street
Suite 300
New York, NY 10022

E 70th St Upper East Side
225 E 70th Street
Suite 1E
New York, NY 10021

FIDI
30 Broad Street
Suite 401
New York, NY 10004

Central Park West
115 Central Park West
Suite 15
New York, NY 10023

Gramercy
7 Gramercy Park West
Lower Level
New York, NY, 10003

ThrIVewell INFUSION
Office: 212-803-3339 Fax : 646-768-8600

Mission Medical

Tarrytown
555 Taxter Road
3rd Floor
Elmsford, NY 10523

Port Jefferson
12 Medical Drive
Suite B
Port Jefferson Station, NY 11776

Staten Island
27 New Dorp Lane
Staten Island, NY 10306

Southampton
625 Hampton Road
Southampton, NY 11968

Riverhead
1228 E Main Street
Suite A
Riverhead, NY 11901

Holbrook
233 Union Avenue
Suite 207
Holbrook, NY 11741

Manhasset
333 East Shore Road
Suite 201
Manhasset, NY 11030

Rockville Centre
165 North Village Avenue
Suite 133
Rockville Center, NY 11570

New Hyde Park
1991 Marcus Ave
Suite 110
Lake Success, NY, 11042

Woodbury
7600 Jericho Tpke,
Lower Level, Suite C500
Woodbury NY 11797

Canakinumab (Ilaris)
Provider Order Form

Date: _____

PATIENT INFORMATION

Name:	DOB:	SEX: M ☐ F ☐
ICD-10 code (required):	ICD-10 description:	
☐ NKDA Allergies:		Weight lbs/kg:

REFERRAL STATUS

☐ New Referral ☐ Referral Renewal ☐ Medication/Order Change ☐ Benefits Verification Only ☐ Discontinuation Order

PHYSICIAN INFORMATION

Referral Coordinator Name:	Referral Coordinator Email:
Ordering Provider:	Provider NPI:
Referring Practice Name:	Phone: Fax:
Practice Address:	City: State: Zip Code:

OBSERVATION (PLEASE SELECT BELOW)

- ☐ Patient is required to stay for 30 minutes observation period
- ☐ Patient is NOT required to stay for observation time
- ☐ Other: _____

SPECIAL INSTRUCTIONS

THERAPY ADMINISTRATION

Canakinumab (Ilaris)

For Stills Disease including Adult Onset Stills Disease and Systemic Juvenile Idiopathic Arthritis.

- ☐ 4mg/kg (with a max of 300mg) for patients with a body weight greater than or equal to 7.5kg subcutaneous every 4 weeks
- ☐ Other _____

For Cryopyrin-Associated Periodic Syndromes (CAPS)

- ☐ 150mg for patients with body weight greater than 40kg subcutaneous every 8 weeks
- ☐ 2mg/kg for patients with body weight greater than or equal to 15kg and less than or equal to 40kg subcutaneous every 8 wks
- ☐ Other _____

For Tumor Necrosis Factor Receptor Associated Periodic Syndrome, Hyperimmunoglobulin D Syndrome/Mevalonate Kinase Deficiency, Familial Mediterranean Fever

Body weight less than or equal to 40kg

- ☐ 2mg/kg subcutaneous every 4 weeks
- ☐ 4mg/kg subcutaneous every 4 weeks - consider if clinical responsenot adequate.
- ☐ Other _____

Body weight greater than 40kg

- ☐ 150mg subcutaneous every 4 weeks
- ☐ 300mg subcutaneous every 4 weeks - consider if clinical response not adequate.

Refills: ☐ Zero ☐ for 12 months Refills _____ (if not indicated order will expire one year from date signed)

Total Doses _____

☐ Other _____

☐ ☐

NOTES/ADDITIONAL COMMENTS:

ORDERING PROVIDER

Signature **X** _____ Date _____

Provider _____ Phone _____ Fax _____