

Spesolimab-sbzo (Spevigo)

Provider Order Form

Date: _____

PATIENT INFORMATION		
Name:	DOB:	SEX: M ☐ F ☐
ICD-10 code (required):	ICD-10 description:	
☐ NKDA Allergies:	Weight lbs/kg:	

REFERRAL STATUS	
☐ New Referral	☐ Referral Renewal ☐ Medication/Order Change ☐ Benefits Verification Only ☐ Discontinuation Order

PHYSICIAN INFORMATION	
Referral Coordinator Name:	Referral Coordinator Email:
Ordering Provider:	Provider NPI:
Referring Practice Name:	Phone: Fax:
Practice Address:	City: State: Zip Code:

LABORATORY ORDERS ☐ CBC ☐ at each dose ☐ every _____ ☐ CMP ☐ at each dose ☐ every _____ ☐ CRP ☐ at each dose ☐ every _____ ☐ Other: _____ PRE-MEDICATION ORDERS ☐ acetaminophen (Tylenol) ☐ 500mg / ☐ 650mg / ☐ 1000mg PO ☐ cetirizine (Zyrtec) 10mg PO ☐ loratadine (Claritin) 10mg PO ☐ diphenhydramine (Benadryl) ☐ 25mg / ☐ 50mg ☐ PO / ☐ IV ☐ methylprednisolone (Solu-Medrol) ☐ 40mg / ☐ 125mg IV ☐ hydrocortisone (Solu-Cortef) ☐ 100mg IV ☐ Other: _____ ☐ Dose: _____ Route: _____ ☐ Frequency: _____	THERAPY ADMINISTRATION ☐ Spesolimab-sbzo (Spevigo) in 100ml 0.9% sodium chloride, - Dose: 900mg - Frequency: one time infusion - Route: intravenous - Infuse over 90 minutes Select for an additional 900mg dose to be given one week after the initial dose. Subsequent treatments may require additional insurance authorization. Flush with 0.9% sodium chloride at infusion completion Refills: Zero, one-time order. (If additional treatments are needed, please submit a new order form.)T) SPECIAL INSTRUCTIONS
---	--

NOTES/ADDITIONAL COMMENTS:

ORDERING PROVIDER

Signature X Date _____

Provider _____ Phone _____ Fax _____