Westerville 575 Copeland Mill Road Suite# 2F Westerville, Ohio 43081





Phone _____ Fax _____

Lancaster 2405 Columbus Street Suite# 210 Lancaster, Ohio 43130

Alpha1 Proteinase Inhibitor, Human Drolactin C. Liquid, Aralact ND, Classic)

Provider _____

PATIENT INFORMATION	
Name:	DOB: SEX: M 🗆 F 🗆
Allergies:	Date of Referral:
PHYSICIAN INFORMATION	
Physician Name*:	Practice Name:
Address:	Office Contact*:
Phone: Fax:	Email (for updates):
REFERRA	AL STATUS
□New Referral □Referral Renewal □Medication/Order C	hange
 NURSING Provide nursing care, including reaction management and post-procedure observation. 	THERAPY ADMINISTRATION Alpha1 proteinase inhibitor, human, please choose one: □ (Prolastin-C Liquid) intravenous infusion with 5-15-micron infusion filter •Dose: □60mg/kg (+/- 10%) □Other:
LABORATORY ORDERS □CBC □ at each dose □ every □CMP □ at each dose □ every □Other:	•Frequency: □IV weekly □Other: •Rate: □ Administer up to 0.08ml/kg/min □Other: (No less than 15mins)
PRE-MEDICATION ORDERS acetaminophen (Tylenol) = 500mg / = 650mg / = 1000mg PO cetirizine (Zyrtec) 10mg PO loratadine (Claritin) 10mg PO diphenhydramine (Benadryl) = 25mg / = 50mg = PO / = IV methylprednisolone (Solu-Medrol) = 40mg / = 125mg IV Other: Dose: Frequency: SPECIAL INSTRUCTIONS	Dose: □60 mg/kg □Other: Frequency: □IV weekly □Other: Rate □Administer a rate not to exceed 0.2 mL/kg/min with 5 micron infusion filter □Other: □ Aralast NP Dose: □60 mg/kg □Other: □ Frequency: □IV weekly □Other: □ Rate: □Administer at a rate not to exceed 0.2mL/kg/min □Other: □ Flush with 0.9% sodium chloride at the completion of infusion □ Patient is required to stay for 30-minute observation post IV □ Patient is NOT required to stay for observation time □ Refills: □Zero / □ for 12 months /□
NOTES/ADDITIONAL COMMENTS:	
ORDERING PROVIDER Signature X	Date