Westerville 575 Copeland Mill Road Suite# 2F Westerville, Ohio 43081

Provider_





Lancaster
2405 Columbus Street
Suite# 210
Lancaster, Ohio 43130

Ravulizumab-cwvz(Ultomiris) Infusion orders Date:

NavuIIZuIIIaU-CW VZ(Ultomiris)	Infusion orders Date:	
PATIENT	INFORMATION	
Name:	DOB:	SEX: M □ F □
ICD-10 code (required):	ICD-10 description:	
□NKDA Allergies:		Weight lbs/kg:
REFERRA	L STATUS	
□New Referral □Referral Renewal □Medication/Order Ch	ange Benefits Verification Only	☐Discontinuation Order
PHYSICIAN	N INFORMATION	
Referral Coordinator Name:	Referral Coordinator Email:	
Ordering Provider:	Provider NPI:	
Referring Practice Name:	Phone: Fax:	
Practice Address:	City: State:	Zip Code:
DIAGNOSIS (and ICD 10 code) □ Myasthenia gravis without (acute) exacerbation ICD-10 Code: G70.00 □ Myasthenia gravis with (acute) exacerbation ICD-10 Code: G70.01 □ Other disorders of phosphorus metabolism ICD 10 Code: D59.5 Neuromyelitis Optica (NMO), Aquaporin 4 Antibody Positive ICD 10 Code: G36.0 Hemolytic-uremic syndrome (aHUS) ICD 10 Code: D59.3 NOTE List Tried & Failed Therapies, including duration of treatment: 1) 2) Immunize patients with meningococcal vaccines at least 2 weeks prior to administering the first dose of ULTOMIRIS, unless the risks of delaying ULTOMIRIS therapy outweigh the risk of developing a meningococcal infection. Comply with the most current National Advisory Committee on Immunization (NACI) recommendations for meningococcal vaccination in patients with complement deficiencies.	Ravulizumab-cwvz (Ultomiris) (Initial Dosing □ 2,400 mg IV (40k to less than 60kg) □ 2,700 mg IV (60k to less than 100 kg) □ 3,000 mg IV (100k or greater kg) Maintenance Dosing □ 3,000 mg (40k to less than 60kg) IV weeks after initial load □ 3,300 mg (60k to less than 100 kg) I weeks after initial load Maintenance Dosing ONLY □ 3,000 mg (40k to less than 60kg) IV 3,300 mg (60k to less than 100 kg) I 3,600 mg (100k or greater kg) IV even ADJUST DOSE BASED ON WEIGHT (AFTER NOTIFYING DR?******	every 8 weeks starting 2 V every 8 weeks starting 2 every 8 weeks V every 8 weeks ery 8 weeks ery 8 weeks ery 8 weeks ery 8 weeks
	*(if not indicated order will expire one year for the signed order form by the provider Patient demographics AND insurance in Clinical/ Progress notes supporting primary Acetylcholine Receptor Antibody Test R	nformation ary dx
Documentation of meningococcal vaccines WITH DATES OF ADMINISTRATION OF MEN B & MEN ACWY OR WITH DATES OF ADMINISTRATION OF MEN ABCWY OR IF NOT FULLY VACCINATED - PHROPHLATIC ANTIBX RX SENT Is your patient enrolled in the Ultomiris-REMS program? YES NO (Is the ordering PROVIDER enrolleD in the Ultomiris-REMS program?	if no, must be enrolled to start therapy)	py) =
ignature X	Date	
Gratare 71		

_ Phone_

Fax_