

TN
100 Covey Drive
Suite 307
Franklin, TN 37067



Alglucosidase alfa-ngpt (Nexviazyme)

Provider Order Form

Date: _____

PATIENT INFORMATION

Name:	DOB:	SEX: M ☐ F ☐
ICD-10 code (required):	ICD-10 description:	
☐ NKDA Allergies:	Weight lbs/kg:	

REFERRAL STATUS

☐ New Referral ☐ Referral Renewal ☐ Medication/Order Change ☐ Benefits Verification Only ☐ Discontinuation Order

PHYSICIAN INFORMATION

Referral Coordinator Name:	Referral Coordinator Email:
Ordering Provider:	Provider NPI:
Referring Practice Name:	Phone: Fax:
Practice Address:	City: State: Zip Code:

LABORATORY ORDERS

- ☐ CBC ☐ at each dose ☐ every _____
☐ CMP ☐ at each dose ☐ every _____
☐ CRP ☐ at each dose ☐ every _____
☐ Other: _____

PRE-MEDICATION ORDERS

- ☐ acetaminophen (Tylenol) ☐ 500mg / ☐ 650mg / ☐ 1000mg PO
☐ cetirizine (Zyrtec) 10mg PO
☐ loratadine (Claritin) 10mg PO
☐ diphenhydramine (Benadryl) ☐ 25mg / ☐ 50mg ☐ PO / ☐ IV
☐ methylprednisolone (Solu-Medrol) ☐ 40mg / ☐ 125mg IV
☐ Other: _____
Dose: _____ Route: _____
Frequency: _____

SPECIAL INSTRUCTIONS

THERAPY ADMINISTRATION

- ☐ Alglucosidase alfa-ngpt (Nexviazyme) in 5% Dextrose, intravenous infusion, final concentration of 0.5 to 4mg/ml, administer with 0.2 micron filter
- Dose: ☐ (≥ 30 kg) 20mg/kg
 - ☐ (≤ 30 kg) 40mg/kg ☐ other _____
 - Frequency: every 2 weeks ☐ other _____
 - Administer over approximately 4 hours, ☐ other _____
- ☐ Flush with 5% Dextrose at the completion of infusion
☐ Patient is required to stay for 30-minute observation period
☐ Patient is NOT required to stay for observation time
☐ Refills: ☐ Zero / ☐ for 12 months / ☐ _____
(if not indicated order will expire one year from date signed)
- ☐ Total dosages _____
☐ Refills _____

NOTES/ADDITIONAL COMMENTS:

ORDERING PROVIDER

Signature X Date _____

Provider _____ Phone _____ Fax _____