Hackensack 385 Prospect Avenue Suite 101 Hackensack, NJ, 07601 Marlton 127 Church Road Suite 203 Marlton, NJ 08053





Long Branch 422 Morris Avenue Suite 7 Long branch, NJ 07740

Date:

Somerset 81 Veronica Avenue Suite 202 Somerset NJ 08873

LEQEMBI (lecanemab-irmb) ORDER FORM

PATIEN	T INFORMATION	
Name:	DOB: SEX: M □	F□
Phone:	Preferred Location:	
PROVIDE	R INFORMATION	
Ordering Provider:	Provider NPI:	
Referring Practice Name:	Phone: Fax:	
Office Contact:	Address:	
Email (required):		
REFER	RAL STATUS	
Check One: □New Referral □Referral Renewal □Updated	Order □Transfer of care – Date of last infusion/Next due da	te
reqembi is indicated for the treatment of Alzheimer's disease (AD). To impairment (MCI) or mild dementia stage of disease, the population in Please note MRIs to assess for ARIA are required prior to doses 3, 5, appropriate dose set marked in order for patients to be cleared to pro 24hrs prior to the patient's scheduled appointment may result in dela	n which treatment was initiated in the clinical trials. 7, and 14 and must be sent to Thrivewell with an updated order ceed with treatment. Failure to provide the required MRI report a	for the
■ Diagnosis ICD-10 Check one: □ G31.84 Mild Cognitive impairment, so stated □ G30.0 Alzheimer's Disease with early onset □ G30.1 Alzheimer's Disease with late onset □ G30.8 Other Alzheimer's Disease □ G30.9 Alzheimer's Disease, unspecified	PATIENT WEIGHT lbs kg Therapy Administration and Dosing (supplied as 200mg/2n or 500mg/5mL vial) All patients will be weighed prior to every infusion and mewill be administered according to that weight, diluted in 0. NS IVPB over 1 hour.	dicatio
■ Premeds Select all that apply:	ONLY ONE DOSE SET CAN BE SELECTED AND A NEW O WILL BE REQUIRED FOR EACH SUBSEQUENT SET	RDER
 □ Acetaminophenmg PO (recommended for first 6 doses) □ Cetirizine 10mg PO □ Diphenhydramine (check all that apply) 25mg50mgPOIV 	☐ Doses #1 – 2: 10mg/kg IV every 2 weeks	
	☐ Doses #3 – 4: 10mg/kg IV every 2 weeks	
	□ Doses #5 – 6: 10mg/kg IV every 2 weeks	
☐ Methylprednisolonemg IV	☐ Doses #7 – 13: 10mg/kg IV every 2 weeks	
☐ SoluCortefmg IV ☐ Other:	☐ Doses #: 10mg/kg IV every 2 week MAINTENANCE DOSING (CAN ONLY BE SELECTED ONCE PAT HAS COMPLETED 18 MONTHS OF STANDARD DOSING AT TH 2 WEEK INTERVAL PER THE PI)	IENT IE
	☐ Doses #: 10mg/kg IV every 4 weeks	
REQUIRED CLINICAL DOCUMENTATION CHECKLIS	Τ:	
Demographics page with insurance info Progress note with cognitive testing within the last 6 mor Patient's recent weight Amyloid PET scan or CSF results with amyloid confirmat	MRI of the brain within the last year If Medicare patient, Alzheimer's Registry (i.e. ALZH-00000)	numbe

• All patients will be kept for 30 minutes of monitoring following completion of the first infusion and then on a case-by-case basis subsequently for any clinical issues.

Additional Orders: By signing this order, you agree to the following orders unless otherwise noted.

- Hold infusion and notify provider if patient reports: Headache, dizziness, nausea, vision changes, new or worsening confusion, balance concerns, or change in montation
- Infusion/allergic reactions may be managed by clinical staff in real time per facility protocol. The prescriber's office will be notified in real time of any infusion reactions.

Provider Signature:	Date:
Notes/Additional Comments:	