

Risankizumab-rzaa (Skyrizi) Provider Order Form

Date: _____

PATIENT INFORMATION		
Name:	DOB:	SEX: M ☐ F ☐
ICD-10 code (required):	ICD-10 description:	
☐ NKDA	Allergies:	Weight lbs/kg:

REFERRAL STATUS	
☐ New Referral ☐ Referral Renewal ☐ Medication/Order Change ☐ Benefits Verification Only ☐ Discontinuation Order	

PHYSICIAN INFORMATION	
Referral Coordinator Name:	Referral Coordinator Email:
Ordering Provider:	Provider NPI:
Referring Practice Name:	Phone: Fax:
Practice Address:	City: State: Zip Code:

☐ **ICD-10*:** _____

LABORATORY ORDERS

☐ CBC
☐ at each dose
☐ every _____

☐ CMP
☐ at each dose
☐ every _____

☐ Hepatic Function Panel
☐ at each dose
☐ every _____

☐ Other: _____

PRE-MEDICATION ORDERS

☐ acetaminophen (Tylenol)
☐ 500mg /
☐ 650mg /
☐ 1000mg PO

☐ cetirizine (Zyrtec) 10mg PO

☐ loratadine (Claritin) 10mg PO

☐ diphenhydramine (Benadryl)
☐ 25mg /
☐ 50mg
☐ PO /
☐ IV

☐ methylprednisolone (Solu-Medrol)
☐ 40mg /
☐ 125mg IV

☐ hydrocortisone (Solu-Cortef)
☐ 100mg IV

☐ Other: _____
Dose: _____ Route: _____
Frequency: _____

SPECIAL INSTRUCTIONS

THERAPY ADMINISTRATION

☐ **Risankizumab-rzaa (Skyrizi)** Induction IV dose

☐ Dose: 600mg, (Crohns dosing)

Frequency: week 0, week 4, and week 8
Route: Intravenous
Infuse over 60 minutes

☐ Dose: 1200mg for 3 doses, (UC dosing)

Frequency: week 0, week 4, and week 8
Route: Intravenous
Infuse over 120 minutes

☐ Flush with 0.9% sodium chloride at the completion of infusion
☐ Other _____

☐ Patient required to stay for 30-min observation post procedure
☐ Patient is NOT required to stay for observation time
☐ Refills: ☐ Zero / ☐ for 12 months / ☐ _____
(if not indicated order will expire one year from date signed)

NOTES/ADDITIONAL COMMENTS:

ORDERING PROVIDER

Signature X Date _____

Provider _____ Phone _____ Fax _____